





CONTENTS

	Enterprise Profile	01
	Products Display	03
	Imaging	
	Image Plate Scanner	05
	Ultrasonic Scaler	07
	Q6 Ultrasonic Periodontal Therapy System	07
	Q5 Ultrasonic Periodontal Treatment Device	11
	DA20 and DA10 Ultrasonic Scalers	13
	A8 Ultrasonic Scaler	15
	K Series Ultrasonic Scalers	17
	I Series Built-in Ultrasonic Scalers	19
	A5 Ultrasonic Scaler	23
D	LED Curing Light	25
	iled2000 Curing Light	25
	VAFU Curing Light	29
	V200 Curing Light	31
	V300 Curing Light	33
CP	Oral Care	37
W		
	Prophylaxis Powder	38
	Dental Equipment Accessories	43
	Ultrasonic Scaler Tips	43
	Private Pack	47
	Ultrasonic Scaler Handpieces	49
	Ultrasonic Scaler Accessories	50
	LED Curing Light Accessories	51



ENTERPRISE PROFILE

ENTERPRISE BRIEF
INTRODUCTION

Guilin Veirun Medical Technology Co., Ltd. (also known as 'VRN dental', 'VRN medical') is located in the information industrial park, national high-tech zone. It is a leading manufacturer of dental equipment in China. With 31 years of experience in manufacturing high-end medical equipment, VRN has been relying on strong engineering strength since its involvement in the field of dental equipment manufacturing. Exquisite manufacturing process, always committed to providing dentists with superior performance and better quality treatment equipment.

The company has a first-class technical R&D team in the industry, including overseas students and technical backbones who have worked in the R&D department of Fortune 500 companies for many years. The company has modern production and office space, and implements "6S" management. It uses internal management tools such as OA and ERP for internal control. The company's production and inspection equipment are perfect, ensuring that the quality of products from the feed to the finished product is effectively controlled.

The company has a complete quality management system and passed the most authoritative German TÜV SUD audit in the medical device industry, and obtained ISO 13485: 2003/AC: 2007 and CE 0123 certificates. The company's ultrasonic scaler, light curing, dental mobile phone and other products are well-known to the industry users for their first-class performance and excellent quality. They are sold to all provinces and municipalities across the country and exported to more than 80 countries and regions abroad. Widely recognized by customers.



EQ-600 IMAGE PLATE SCANNER

Professional intraoral imaging equipment

New Arrival







ULTRASONIC PERIODONTAL THERAPY SYSTEM

Ultrasonic Scaler + Air Polisher 2 in 1



A new trend in periodontal treatment - Dental Plaque Control Polishing & Scaling

Safe, Comfortable, Multifunctional

6 functions in 1



Supragingival polishing



Subgingival polishing



Supragingival scaling



Subgingival

treatment



Endo treatment | Implant maintenance












Ultrasonic Periodontal Treatment Device

SINE WAVE DRIVE · BREAK THROUGH THE TRADITION

Avoid the instantaneous impact caused by the traditional square wave drive, makes the vibration gentle and regular. Efficient treatment can also makes patients feel comfortable.



NEW.

Min Max

P

E

 \bigcirc



Intelligent power output, experience comfortable scaling.


New Arrival





Intelligent power output, experience comfortable scaling.

New Arrival



VRN-AB Ultrasonic Scaler


Intelligent power output, experience comfortable scaling.



Internal liquid routing made of anti-bacterial materials, clinical use of liquids, such as hydrogen peroxide, chlorhexidine, sodium hypochlorite, allI these let periodontal treatment, root canal washing effect improved greatly. Detachable handpiee, clear vision, with new packaging technology, feel more comfortable.


Automatic negative feedback, constant power output, scalling softer.















Computer Microprocessing Chip

The instrument has built-in computer micro-processing chip, which can intelligently control the power of scaler and make tooth cleaning more comfortable.



Root canal cleansing

For root canal preparation, the smear layer of root canal surface stroke exposes dentin tubules and reduces the risk of infection after root canal therapy.



Automatic Water Supply System

No complex external water steps, imported pumps from Japan, durable, quality assurance.



LED Detachable Handpiece

upgraded piezoelectric technology, LED detachable ultrasonic handpiece, showing clear vision for you, autoclave available, avoid cross infection.

VRN-K08A/K08AL Ultrasonic Scaler

Detachable Handpiece, high temperature and high pressure disinfection

Constant power output, scaling more comfortable and gentle.

Tip vibration frequency: 28kHz ± 3kHz

Input power: 40VA ± 60VA

Ultrasonic output power: 3W ~ 20W

Water pressure: 0.1bar ~ 5bar (0.01MPa ~ 0.5Mpa)





VRN-K08DL Ultrasonic Scaler

Detachable LED scaling handpiece, clear vision

Constant power output, more stable machine performance, clean the tooth more gently.

Tip vibration frequency: 28kHz ± 3kHz

Input power: 30VA ± 48VA

Ultrasonic output power: 3W ~ 20W

Water pressure: 0.1bar ~ 5bar (0.01MPa ~ 0.5MPa)





VRN-K08B Ultrasonic Scaler

Automatic negative feedback, constant power output, more comfortable and soft

Tip vibration frequency: 28kHz ± 3kHz

Input power: 40VA ± 60VA

Ultrasonic output power: 3W ~ 20W

Water pressure: 0.1bar ~ 5bar (0.01MPa ~ 0.5MPa)





VRN-K08D Ultrasonic Scaler

Intelligent power output, machine performance is more stable.

Suitable for cleaning dental calculus, dental plaque and other tooth stains, activating root canal.

Power input: 100V - 240V, 50/60Hz

Tip vibration frequency: 28kHz ± 3kHz

Input power: 30VA ~ 48VA

Ultrasonic output power: 3W ~ 20W





VRN-I02 built-in Ultrasonic Scaler

Application: It is used for installation on the dental unit. Handpiece: Detachable Piezo Handpiece

Control mode: Wired Foot Switch

Working water pressure: 0.01MPa ~ 0.05MPa

Working voltage: 30VA ~ 48VA

Tip vibration frequency: 25~31kHz



WSD- III (high version)

Automatic water supply device

Application: Suitable for water supply of dental equipment
The water flow output: Not less than 50mL/min
The water pressure: Not less than 0.02MPa

Imported water pump, long service life.



VRN-I03 built-in Ultrasonic Scaler


Application: It is used for installation on the dental unit. Handpiece: LED Detachable Piezo Handpiece

Control mode: Wired Foot Switch

Working water pressure: 0.01MPa~0.05MPa

Working voltage: 30VA ~48VA

Tip vibration frequency: 25~31kHz



WSD-III (standard version)

Automatic water supply device

Application: Suitable for water supply of dental equipment
The water flow output: Not less than 50mL/min
The water pressure: Not less than 0.02MPa

Domestic water pump, economical and practical.



22

VRN-A5 Ultrasonic Scaler

The instrument has built-in computer micro-processing chip, automatic frequency tracking system, intelligent power output, more stable instrument performance can control tooth cleaning power, experience comfortable scaling.

DA-1 Endo Ultra Activator

MAKE THE ROOT CLEANER

Improve activation

Reduces the microbial load

Facilitates upward debris removal

Eliminates biofilm and smear layer

Improves the sealing of the obturation


Favors penetration of irragants into the non-instrumented zones



Dental Air Polisher

A new generation of integrated sandblasting, can be used for basic oral cleaning, plaque control, Supragingival and subgingival treatment of implanted.





VAFU

LED CURING LIGHT




VAFU wide spectrum LED curing Light

Parallel light source output, light source energy output more concentrated, better curing effect. Wide spectrum LED light curing machine, wider range of emission wavelength, can better solidify new resin materials such as TPO and so on.

Wide-spectrum curing

VAFU broad spectrum curing Light emission wavelength range 385nm ~ 515 nm, the supervisor increased 385nm ~ 420 nm band, the new band can better solidify the resin material containing new photoinitiator, such as TPO, PPD and reduce the risk of resin shedding and incomplete fixed line.

Effective band of VAFU cured resin (effective spectral band 385~515nm)








Qi Charging protocol

Wireless charging, more intelligent and convenient





V200 LED curing Light


Constant light power output, curing effect will not be weakened by low battery charge.


3W high power Blue-ray LED light.

Ergonomic design increases the hand-held quality and the comfort of treatment.

Constant intensity

Constant light intensity output. It will not weakened the curing effect because of the decrease of battery capacity.





32

3 modes of operation: full power, progressive, pulse

Time setting: 3, 5, 10, 15, 20, 25, 30, 35, 40 seconds

Light Intensity: 900mW/cm² ~ 1650mW/cm²

Wavelength: 420nm ~ 480nm

Optical effective area: 50mm²

10s depth of cured resin: ≥4mm

V300 LED curing Light

Constant light power output, curing effect will not be weakened by low battery charge.

Efficient electro-optical conversion, can be used more than 400 times when fully charged. (calculated by 10s in full power mode/time) 3W high power blue-ray LED light.

Ergonomic design increases the hand-held quality and the comfort of treatment.



3 modes of operation: full power, progressive, pulse

Time setting: 3, 5, 10, 15, 20, 25, 30, 35, 40 seconds

Light Intensity: 900mW/cm² ~ 1100mW/cm²

Wavelength: 420nm ~ 480nm

Optical effective area: 50mm²

10s depth of cured resin: ≥4mm

Dental Prophylaxis Powder

Used to remove plaque on dental surface and implant surface, polish dental tissue, restoration and implant, make them smooth and even.










Safety I Exclusive I Healthy

PRIVATE PACKAGE



Ultrasonic Periodontal Therapeutic Instrument and Scaler Handpiece



AH-1 Subgingival Sandblasting Handpiece (Compatible with EMS Master)

Angle is 110°, suitable for plaque, pigment and soft dirt cleaning in tooth surface, occlusal surface, tooth seam, etc., high sand powder convergence degree, metal material feel better, can be autoclave.



AH-2 Subgingival Sandblasting Handpiece (Compatible with EMS Master)

Angle is 110°, install disposable subgingival sandblasting nozzle, easy to disassemble and assemble suitable for periodontal bag plaque cleaning, pay attention to the use of subgingival sand powder, metal material feel better, can be autoclave.



PH-2 LED Detahcbale Periodontal Handpiece (Compatible with EMS / woodpecker)

It is used in ultrasonic scaler and periodontal therapy instrument to remove dental calculus and periodontal pocket calculus. It is comfortable and can be sterilized by high temperature and high pressure steam. Matching EMS device, please notice it's applied for EMS thread tips, can not be used for the Satelec thread tips.



PH-1 LED Detachable Piezo Handpiece (Compatible with EMS / woodpecker)

Used for Ultrasonic Scaler, efficient removal of dental calculus, can be exchanged with woodpecker & EMS. Please notice it's applied for EMS thread tips, can not be used for the Satelec thread tips.



HP-1 Sealed Piezo Handpiece (Compatible with EMS)


For scaling, please notice it's applied for EMS thread tips, can not be used for the Satelec thread tips. Pay attention to the remove knob cap to cleaning thread and medical alcohol wipe sterilization, not high temperature and high pressure steam sterilization.





HP-2 Detachable Piezo HandPiece (Compatible with EMS / woodpecker)


Used for ultrasonic scaling, high efficiency removal of dental calculus, can be pulled into high temperature steam sterilization, and compatible with EMS/woodpecker. Please notice it's applied for EMS thread tips, can not be used for the Satelec thread tips.


VRN Scaler Tips Series














Stainless steel 120° angle holder for U files with a shank diameter of 0.8mm this tip is usually used foranterior root canal cleaning. Stainless steel 90° angle holder for U files with a shank diameter of 0.8mm this tip is usually used formolar root canal cleaning. With cooling spray disabled, this tip is used forlateral thermal condensation of gutta percha. Diamond coated, used to remove calcification and bad filling material from pulp cavity and overhang pulp chamber. Quickly removes obstructions and broken instruments in the mid and upper thirds of largeand straight canals. Tips length 22 mm. E4D Diamond coated, for retreatments or extremelyhard materials. length 15 mm. Useful for quickly eliminating calculus and temporary cements. length 16 mm. Tdiamond Coated, for enhanced cutting and abrasion. Especially useful for removing very hard materials on the canal wall. Coating length10 mm. Curved to the left, for treating furcations, interdental calculus and very narrow spaces. Curved to the right, for treating furcations, interdental calculus and very narrow spaces. Curved to the left used for subgingival scaling, periodontal pocket probing and root planing. Curved to the right used for subgingival scaling, periodontal pocket probing and root planing Curved to the left, designed to accommodate the complex shape of the root bifurcation. Curved to the right, designed to accommodate the complex shape of the root bifurcation.

Ultrasonic Scaler Parts



















































LED Curing Light Accessories

























52